

RTS Application Guide

DODGE

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted.

Other sizes and offsets are available, please call the Sales and Tech Department for more information at 800-788-9353

Challenger/ Charger Hellcat SRT8

2015+

5x115mm (W) 14mmX1.5 lugs. Conical Lugs required

Wheel Diameter	Pad Height	Size	Vehicle Location	Off-set	Back Space	S71 Black Center Part Number	S71 All Polished Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
17"	High	17x8.0	Rear Only	18	5.20	71HB7080W52A	71HP7080W52A	75HB7080W52A	76HB7080W52A	77HB7080W52A
	High	17x9.0	Rear Only	30	6.20	71HB7090W62A	71HP7090W62A	75HB7090W62A	76HB7090W62A	77HB7090W62A
	High	17x10.0	Rear Only	30	6.70	71HB7100W67A	71HP7100W67A	75HB7100W67A	76HB7100W67A	77HB7100W67A

18"	High	18x8.0	Rear Only	15	5.10	71HB8080W51A	71HP8080W51A	75HB8080W51A	76HB8080W51A	77HB8080W51A
	High	18x9.0	Rear Only	28	6.10	71HB8090W61A	71HP8090W61A	75HB8090W61A	76HB8090W61A	77HB8090W61A
	High	18x10.0	Rear Only	28	6.60	71HB8100W66A	71HP8100W66A	75HB8100W66A	76HB8100W66A	77HB8100W66A

20"	High	20x7.0	Front	5	4.20	71HB0070W43A	71HP0070W43A	75HB0070W43A	76HB0070W43A	77HB0070W43A
	High	20x8.0	Frnt/Rear	18	5.20	71HB0080W53A	71HP0080W53A	75HB0080W53A	76HB0080W53A	77HB0080W53A
	High	20x9.0	Frnt/Rear	30	6.20	71HB0090W63A	71HP0090W63A	75HB0090W63A	76HB0090W63A	77HB0090W63A
	High	20x10.0	Rear Only	30	6.70	71HB0100W68A	71HP0100W68A	75HB0100W68A	76HB0100W68A	77HB0100W68A
	High	20x10.5	Rear Only	36	7.20	71HB0100W73A*	71HP0100W73A*	75HB0100W73A*	76HB0100W73A*	77HB0100W73A*

* may require 6mm spacer depending on tire size

Challenger/Charger/Magnum SRT8

2008+ Charger SRT8 & 2005-08 Magnum SRT8, Includes Chrysler 300 SRT8, Includes 2015+ Scat Pack

5x115mm (W) 14mmX1.5 lugs. Conical Lugs required

Wheel Diameter	Pad Height	Size	Vehicle Location	Off-set	Back Space	S71 Black Center Part Number	S71 All Polished Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Medium	15X10.33	Rear Only	22	6.50	71MB-510W65C^^	71MP-510W65C^^	75MB-510W65C^^	76MB-510W65C^^	77MB-510W65C^^

^^Will require brake/suspension modifications. This size will not fit O.E. brake package.

17"	High	17x5.0	Front	-20	2.20	71HB7050W22A	71HP7050W22A	75HB7050W22A	76HB7050W22A	77HB7050W22A
	High	17x7.0	Front	5	4.20	71HB7070W42A	71HP7070W42A	75HB7070W42A	76HB7070W42A	77HB7070W42A
	High	17x8.0	Frnt/Rear	18	5.20	71HB7080W52A	71HP7080W52A	75HB7080W52A	76HB7080W52A	77HB7080W52A
	High	17x9.0	Frnt/Rear	30	6.20	71HB7090W62A^^	71HP-7090W62A^^	75HB7090W62A^^	76HB7090W62A^^	77HB7090W62A^^
	High	17x10.0	Rear Only	30	6.70	71HB7100W67A*	71HP7100W67A*	75HB7100W67A*	76HB7100W67A*	77HB7100W67A*

^^Requires 6mm spacer; * Install wheel at ride height to clear sway bar during installation.

18"	High	18X5.0	Front	-23	2.10	71HB8050W21A	71HP8050W21A	75HB8050W21A	76HB8050W21A	77HB8050W21A
	High	18X7.0	Front	3	4.10	71HB8070W41A	71HP8070W41A	75HB8070W41A	76HB8070W41A	77HB8070W41A
	High	18X8.0	Frt/Rear	15	5.10	71HB8080W51A	71HP8080W51A	75HB8080W51A	76HB8080W51A	77HB8080W51A
	High	18x9.0	Frt/Rear	28	6.10	71HB8090W61A^^	71HP-8090W61A^^	75HB8090W61A^^	76HB8090W61A^^	77HB8090W61A^^
	High	18X10.0	Rear Only	28	6.60	71HB8100W66A	71HP8100W66A	75HB8100W66A	76HB8100W66A	77HB8100W66A

^^Requires 6mm spacer

20"	High	20x7.0	Front	5	4.20	71HB0070W43A	71HP0070W43A	75HB0070W43A	76HB0070W43A	77HB0070W43A
	High	20x8.0	Frt/Rear	18	5.20	71HB0080W53A	71HP0080W53A	75HB0080W53A	76HB0080W53A	77HB0080W53A
	High	20x9.0	Frt/Rear	30	6.20	71HB0090W63A	71HP0090W63A	75HB0090W63A	76HB0090W63A	77HB0090W63A
	High	20x10.0	Rear Only	30	6.70	71HB0100W68A	71HP0100W68A	75HB0100W68A	76HB0100W68A	77HB0100W68A

Challenger R/T Super Track Pack

2009+

5x115mm (W) 14mm X 1.5 lugs. Conical Lugs required.

Wheel Diameter	Pad Height	Size	Vehicle Location	Off-set	Back Space	S71 Black Center Part Number	S71 All Polished Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
17"	Medium	17x5.0	Front	8	3.30	71MB7050W33A	71MP7050W33A	75MB7050W33A	76MB7050W33A	77MB7050W33A
	Medium	17x7.0	Front	33	5.30	71MB7070W53A	71MP7070W53A	75MB7070W53A	76MB7070W53A	77MB7070W53A
	Medium	17x8.0	Frt/Rear	46	6.30	71MB7080W63A	71MP7080W63A	75MB7080W63A	76MB7080W63A	77MB7080W63A
	Medium	17x9.0	Frt/Rear	20	5.80	71MB7090W58A	71MP7090W58A	75MB7090W58A	76MB7090W58A	77MB7090W58A

17x9.5 or 17x10 wheel requires more back space which will cause interference with the larger rear stabilizer bar on this model

18"	Medium	18x5.0	Front	-20	2.20	71MB8050W22A	71MP8050W22A	75MB8050W22A	76MB8050W22A	77MB8050W22A
	Medium	18x7.0	Front	5	4.20	71MB8070W42A	71MP8070W42A	75MB8070W42A	76MB8070W42A	77MB8070W42A
	Medium	18x8.0	Frt/Rear	18	5.20	71MB8080W52A	71MP8080W52A	75MB8080W52A	76MB8080W52A	77MB8080W52A
	Medium	18x9.0	Frt/Rear	30	6.20	71MB-8090W62A^^	71MP-8090W62A^^	75MB-8090W62A^^	76MB-8090W62A^^	77MB-8090W62A^^
	Medium	18x10.0	Rear Only	30	6.70	71MB8100W67A	71MP8100W67A	75MB8100W67A	76MB8100W67A	77MB8100W67A

^^Requires 6mm spacer

20"	Medium	20x7.0	Front	10	4.40	71MB0070W44A	71MP0070W44A	75MB0070W44A	76MB0070W44A	77MB0070W44A
	Medium	20x8.0	Frt/Rear	23	5.40	71MB0080W54A	71MP0080W54A	75MB0080W54A	76MB0080W54A	77MB0080W54A
	Medium	20x9.0	Frt/Rear	23	5.90	71MB0090W59A	71MP0090W59A	75MB0090W59A	76MB0090W59A	77MB0090W59A
	Medium	20x10.0	Rear Only	23	6.40	71MB0100W64A	71MP0100W64A	75MB0100W64A	76MB0100W64A	77MB0100W64A

Challenger & R/T

2009+

5x115mm (W) 14mm X 1.5 lugs. Conical Lugs required.

Wheel Diameter	Pad Height	Size	Vehicle Location	Off-set	Back Space	S71 Black Center Part Number	S71 All Polished Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Medium	15X10.33	Rear Only	22	6.50	71MB-510W65C^^	71MP-510W65C^^	75MB-510W65C^^	76MB-510W65C^^	77MB-510W65C^^

^^Will require brake/suspension modifications. This size will not fit O.E. brake package.

17"	Medium	17x5.0	Front	8	3.30	71MB7050W33A	71MP7050W33A	75MB7050W33A	76MB7050W33A	77MB7050W33A
	Medium	17x7.0	Front	8	4.30	71MB7070W43A	71MP7070W43A	75MB7070W43A	76MB7070W43A	77MB7070W43A
	Medium	17x8.0	Frt/Rear	20	5.30	71MB7080W53A	71MP7080W53A	75MB7080W53A	76MB7080W53A	77MB7080W53A
	Medium	17x9.0	Frt/Rear	33	6.30	71MB-7090W63A^^	71MP-7090W63A^^	75MB-7090W63A^^	76MB-7090W63A^^	77MB-7090W63A^^
	Medium	17x9.5	Rear Only	27	6.30	71MB7095W63A	71MP7095W63A	75MB7095W63A	76MB7095W63A	77MB7095W63A
	Medium	17x10.0	Rear Only	33	6.80	71MB7100W68A	71MP7100W68A	75MB7100W68A	76MB7100W68A	77MB7100W68A

^^Requires 6mm spacer

18"	Medium	18x5.0	Front	-20	2.20	71MB8050W22A	71MP8050W22A	75MB8050W22A	76MB8050W22A	77MB8050W22A
	Medium	18x7.0	Front	5	4.20	71MB8070W42A	71MP8070W42A	75MB8070W42A	76MB8070W42A	77MB8070W42A
	Medium	18x8.0	Frt/Rear	18	5.20	71MB8080W52A	71MP8080W52A	75MB8080W52A	76MB8080W52A	77MB8080W52A
	Medium	18x9.0	Frt/Rear	30	6.20	71MB-8090W62A^^	71MP-8090W62A^^	75MB-8090W62A^^	76MB-8090W62A^^	77MB-8090W62A^^
	Medium	18x10.0	Rear Only	30	6.70	71MB8100W67A	71MP8100W67A	75MB8100W67A	76MB8100W67A	77MB8100W67A

^^Requires 6mm spacer

20"	Medium	20X7.0	Front	10	4.40	71MB0070W44A	71MP0070W44A	75MB0070W44A	76MB0070W44A	77MB0070W44A
	Medium	20X8.0	Frt/Rear	23	5.40	71MB0080W54A	71MP0080W54A	75MB0080W54A	76MB0080W54A	77MB0080W54A
	Medium	20x9.0	Frt/Rear	23	5.90	71MB0090W59A	71MP0090W59A	75MB0090W59A	76MB0090W59A	77MB0090W59A
	Medium	20x10.0	Rear Only	23	6.40	71MB0100W64A	71MP0100W64A	75MB0100W64A	76MB0100W64A	77MB0100W64A

Charger & R/T RWD Only

2005-2008

5x115mm (W) 14mm X 1.5 lugs. Conical Lugs required

Wheel Diameter	Pad Height	Size	Vehicle Location	Off-set	Back Space	S71 Black Center Part Number	S71 All Polished Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Medium	15X10.33	Rear Only	22	6.50	71MB-510W65C^^	71MP-510W65C^^	75MB-510W65C^^	76MB-510W65C^^	77MB-510W65C^^

^^Will require brake/suspension modifications. This size will not fit O.E. brake package.

17"	Medium	17x5.0	Front	8	3.30	71MB7050W33A	71MP7050W33A	75MB7050W33A	76MB7050W33A	77MB7050W33A
	Medium	17x7.0	Front	8	4.30	71MB7070W43A	71MP7070W43A	75MB7070W43A	76MB7070W43A	77MB7070W43A
	Medium	17x8.0	Frt/Rear	20	5.30	71MB7080W53A	71MP7080W53A	75MB7080W53A	76MB7080W53A	77MB7080W53A
	Medium	17x9.0	Front Only	33	6.30	71MB7090W63A	71MP7090W63A	75MB7090W63A	76MB7090W63A	77MB7090W63A
	Medium	17x9.0	Rear Only	20	5.80	71MB7090W58A	71MP7090W58A	75MB7090W58A	76MB7090W58A	77MB7090W58A
	Medium	17x10.0	Rear Only	33	6.80	71MB7100W68A*	71MP7100W68A*	75MB7100W68A*	76MB7100W68A*	77MB7100W68A*

*Will not fit cars that have a large rear stabilizer bar

18"	Medium	18x5.0	Front	-20	2.20	71MB8050W22A	71MP8050W22A	75MB8050W22A	76MB8050W22A	77MB8050W22A
	Medium	18x7.0	Front	5	4.20	71MB8070W42A	71MP8070W42A	75MB8070W42A	76MB8070W42A	77MB8070W42A
	Medium	18x8.0	Frt/Rear	18	5.20	71MB8080W52A	71MP8080W52A	75MB8080W52A	76MB8080W52A	77MB8080W52A
	Medium	18x9.0	Frt/Rear	30	6.20	71MB8090W62A	71MP8090W62A	75MB8090W62A	76MB8090W62A	77MB8090W62A
	Medium	18x10.0	Rear Only	30	6.70	71MB8100W67A	71MP8100W67A	75MB8100W67A	76MB8100W67A	77MB8100W67A

20"	Medium	20X7.0	Front	10	4.40	71MB0070W44A	71MP0070W44A	75MB0070W44A	76MB0070W44A	77MB0070W44A
	Medium	20X8.0	Frt/Rear	23	5.40	71MB0080W54A	71MP0080W54A	75MB0080W54A	76MB0080W54A	77MB0080W54A
	Medium	20x9.0	Frt/Rear	23	5.90	71MB0090W59A	71MP0090W59A	75MB0090W59A	76MB0090W59A	77MB0090W59A
	Medium	20x10.0	Rear Only	23	6.40	71MB0100W64A	71MP0100W64A	75MB0100W64A	76MB0100W64A	77MB0100W64A

Magnum & R/T RWD Only

2005-2008

5x115mm (W) 14mm X 1.5 lugs. Conical Lugs required.

Wheel Diameter	Pad Height	Size	Vehicle Location	Off-set	Back Space	S71 Black Center Part Number	S71 All Polished Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Medium	15X10.33	Rear Only	22	6.50	71MB-510W65C^^	71MP-510W65C^^	75MB-510W65C^^	76MB-510W65C^^	77MB-510W65C^^

^^Will require brake/suspension modifications. This size will not fit O.E. brake package.

17"	Medium	17x5.0	Front	8	3.30	71MB7050W33A	71MP7050W33A	75MB7050W33A	76MB7050W33A	77MB7050W33A
	Medium	17x7.0	Front	8	4.30	71MB7070W43A	71MP7070W43A	75MB7070W43A	76MB7070W43A	77MB7070W43A
	Medium	17x8.0	Frt/Rear	20	5.30	71MB7080W53A	71MP7080W53A	75MB7080W53A	76MB7080W53A	77MB7080W53A
	Medium	17x9.0	Frt/Rear	20	5.80	71MB7090W58A	71MP7090W58A	75MB7090W58A	76MB7090W58A	77MB7090W58A
	Medium	17x10.0	Rear Only	33	6.80	71MB7100W68A	71MP7100W68A	75MB7100W68A	76MB7100W68A	77MB7100W68A

18"	Medium	18x5.0	Front	-20	2.20	71MB8050W22A	71MP8050W22A	75MB8050W22A	76MB8050W22A	77MB8050W22A
	Medium	18x7.0	Front	5	4.20	71MB8070W42A	71MP8070W42A	75MB8070W42A	76MB8070W42A	77MB8070W42A
	Medium	18x8.0	Frt/Rear	18	5.20	71MB8080W52A	71MP8080W52A	75MB8080W52A	76MB8080W52A	77MB8080W52A
	Medium	18x9.0	Frt/Rear	30	6.20	71MB8090W62A	71MP8090W62A	75MB8090W62A	76MB8090W62A	77MB8090W62A
	Medium	18x10.0	Rear Only	30	6.70	71MB8100W67A	71MP8100W67A	75MB8100W67A	76MB8100W67A	77MB8100W67A

20"	Medium	20X7.0	Front	10	4.40	71MB0070W44A	71MP0070W44A	75MB0070W44A	76MB0070W44A	77MB0070W44A
	Medium	20X8.0	Frt/Rear	23	5.40	71MB0080W54A	71MP0080W54A	75MB0080W54A	76MB0080W54A	77MB0080W54A
	Medium	20x9.0	Frt/Rear	23	5.90	71MB0090W59A	71MP0090W59A	75MB0090W59A	76MB0090W59A	77MB0090W59A
	Medium	20x10.0	Rear Only	23	6.40	71MB0100W64A	71MP0100W64A	75MB0100W64A	76MB0100W64A	77MB0100W64A

Dodge Aspen/Dart

1965-1976 5X4" Bolt Pattern

Nothing to offer for this bolt pattern in any Weld Racing wheel style



Dodge Charger (B Body)

1966-1970 5x4.5" (A)

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs required 17"/18"/20"

Wheel Diameter	Pad Height	Size	Vehicle Location	Off-set	Back Space	S71 Black Center Part Number	S71 All Polished Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LB-504A16A	71LP-504A16A	75LB-504A16A	76LB-504A16A	77LB-504A16A
	Low	15x5.33	Front	-16	2.50	71LB-505A25A	71LP-505A25A	75LB-505A25A	76LB-505A25A	77LB-505A25A
	Low	15x6.33	Front	-3	3.50	71LB-506A35A	71LP-506A35A	75LB-506A35A	76LB-506A35A	77LB-506A35A
	Low	15x7.33	Front	-16	3.50	71LB-507A35A	71LP-507A35A	75LB-507A35A	76LB-507A35A	77LB-507A35A
	Low	15x8.33	Frt/Rear	-3	4.50	71LB-508A45A	71LP-508A45A	75LB-508A45A	76LB-508A45A	77LB-508A45A
	Low	15x9.33	Rear Only	-16	4.50	71LB-509A45A	71LP-509A45A	75LB-509A45A	76LB-509A45A	77LB-509A45A
	Low	15x10.33	Rear Only	-3	5.50	71LB-510A55A	71LP-510A55A	75LB-510A55A	76LB-510A55A	77LB-510A55A

17"	Low	17x4.5	Front	-27	1.70	71LB7045A17A	71LP7045A17A	75LB7045A17A	76LB7045A17A	77LB7045A17A
	Low	17x7.0	Front	-3	3.90	71LB7070A40A	71LP7070A40A	75LB7070A40A	76LB7070A40A	77LB7070A40A
	Low	17x8.0	Frt/Rear	10	4.90	71LB7080A50A	71LP7080A50A	75LB7080A50A	76LB7080A50A	77LB7080A50A
	Low	17x9.0	Rear Only	-15	4.40	71LB7090A45A	71LP7090A45A	75LB7090A45A	76LB7090A45A	77LB7090A45A
	Low	17x10.0	Rear Only	-3	5.40	71LB7100A55A	71LP7100A55A	75LB7100A55A	76LB7100A55A	77LB7100A55A

18"	Low	18x5.0	Front	-8	2.70	71LB8050A27A	71LP8050A27A	75LB8050A27A	76LB8050A27A	77LB8050A27A
	Low	18x7.0	Front	-8	3.70	71LB8070A37A	71LP8070A37A	75LB8070A37A	76LB8070A37A	77LB8070A37A
	Low	18x8.0	Frt/Rear	5	4.70	71LB8080A47A	71LP8080A47A	75LB8080A47A	76LB8080A47A	77LB8080A47A
	Low	18x9.0	Rear Only	-8	4.70	71LB8090A47A	71LP8090A47A	75LB8090A47A	76LB8090A47A	77LB8090A47A
	Low	18x10.0	Rear Only	5	5.70	71LB8100A57A	71LP8100A57A	75LB8100A57A	76LB8100A57A	77LB8100A57A

20"	Low	20x9.5	Rear Only	-6	5.00	71LB0095A50A	71LP0095A50A	75LB0095A50A	76LB0095A50A	77LB0095A50A
	Low	20x10.0	Rear Only	0	5.50	71LB0100A55A	71LP0100A55A	75LB0100A55A	76LB0100A55A	77LB0100A55A

Coronet/Super Bee/440/500/RT (B Body)

1965-1970 5x4.5" (A) 1/2" Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs required 17"/18"/20"

Wheel Diameter	Pad Height	Size	Vehicle Location	Off-set	Back Space	S71 Black Center Part Number	S71 All Polished Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LB-504A16A	71LP-504A16A	75LB-504A16A	76LB-504A16A	77LB-504A16A
	Low	15x5.33	Front	-16	2.50	71LB-506A25A	71LP-506A25A	75LB-506A25A	76LB-506A25A	77LB-506A25A
	Low	15x6.33	Front	-3	3.50	71LB-506A35A	71LP-506A35A	75LB-506A35A	76LB-506A35A	77LB-506A35A
	Low	15x7.33	Front	-16	3.50	71LB-507A35A	71LP-507A35A	75LB-507A35A	76LB-507A35A	77LB-507A35A
	Low	15x8.33	Frt/Rear	-3	4.50	71LB-508A45A	71LP-508A45A	75LB-508A45A	76LB-508A45A	77LB-508A45A
	Low	15x9.33	Rear Only	10	5.50	71LB-509A55A	71LP-509A55A	75LB-509A55A	76LB-509A55A	77LB-509A55A

17"	Low	17x4.5	Front	-27	1.70	71LB7045A17A	71LP7045A17A	75LB7045A17A	76LB7045A17A	77LB7045A17A
	Low	17x7.0	Front	-3	3.90	71LB7070A40A	71LP7070A40A	75LB7070A40A	76LB7070A40A	77LB7070A40A
	Low	17x8.0	Frt/Rear	10	4.90	71LB7080A50A	71LP7080A50A	75LB7080A50A	76LB7080A50A	77LB7080A50A
	Low	17x9.0	Rear Only	10	5.40	71LB7090A55A	71LP7090A55A	75LB7090A55A	76LB7090A55A	77LB7090A55A

18"	Low	18x5.0	Front	-20	2.20	71LB8050A22A	71LP8050A22A	75LB8050A22A	76LB8050A22A	77LB8050A22A
	Low	18x7.0	Front	-8	3.70	71LB8070A37A	71LP8070A37A	75LB8070A37A	76LB8070A37A	77LB8070A37A
	Low	18x8.0	Front	5	4.70	71LB8080A47A	71LP8080A47A	75LB8080A47A	76LB8080A47A	77LB8080A47A
	Low	18x9.0	Rear Only	-8	4.70	71LB8090A47A	71LP8090A47A	75LB8090A47A	76LB8090A47A	77LB8090A47A
	Low	18x10.0	Rear Only	5	5.70	71LB8100A57A	71LP8100A57A	75LB8100A57A	76LB8100A57A	77LB8100A57A

20"	Low	20x9.5	Rear Only	-6	5.00	71LB0095A50A	71LP0095A50A	75LB0095A50A	76LB0095A50A	77LB0095A50A
	Low	20x10.0	Rear Only	0	5.50	71LB0100A55A	71LP0100A55A	75LB0100A55A	76LB0100A55A	77LB0100A55A

Coronet/Super Bee/440/500/RT (B Body)

1971-1974 5x4.5" (A) 1/2" Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

Wheel Diameter	Pad Height	Size	Vehicle Location	Off-set	Back Space	S71 Black Center Part Number	S71 All Polished Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LB-504A16A	71LP-504A16A	75LB-504A16A	76LB-504A16A	77LB-504A16A
	Low	15x5.33	Front	-16	2.50	71LB-506A25A	71LP-506A25A	75LB-506A25A	76LB-506A25A	77LB-506A25A
	Low	15x6.33	Front	-3	3.50	71LB-506A35A	71LP-506A35A	75LB-506A35A	76LB-506A35A	77LB-506A35A
	Low	15x7.33	Front	-16	3.50	71LB-507A35A	71LP-507A35A	75LB-507A35A	76LB-507A35A	77LB-507A35A
	Low	15x8.33	Frnt/Rear	-3	4.50	71LB-508A45A	71LP-508A45A	75LB-508A45A	76LB-508A45A	77LB-508A45A
	Low	15x9.33	Rear Only	10	5.50	71LB-509A55A	71LP-509A55A	75LB-509A55A	76LB-509A55A	77LB-509A55A

17"	Low	17x4.5	Front	-27	1.70	71LB7045A17A	71LP7045A17A	75LB7045A17A	76LB7045A17A	77LB7045A17A
	Low	17x6.0	Front	-15	2.90	71LB7060A30A	71LP7060A30A	75LB7060A30A	76LB7060A30A	77LB7060A30A
	Low	17x7.0	Front	-28	2.90	71LB7070A30A	71LP7070A30A	75LB7070A30A	76LB7070A30A	77LB7070A30A
	Low	17x8.0	Frnt/Rear	-3	4.40	71LB7080A45A	71LP7080A45A	75LB7080A45A	76LB7080A45A	77LB7080A45A
	Low	17x9.0	Rear Only	-3	4.90	71LB7090A50A	71LP7090A50A	75LB7090A50A	76LB7090A50A	77LB7090A50A
	Low	17x10.0	Rear Only	10	5.90	71LB7100A60A	71LP7100A60A	75LB7100A60A	76LB7100A60A	77LB7100A60A

18"	Low	18x5.0	Front	-20	2.20	71LB8050A22A	71LP8050A22A	75LB8050A22A	76LB8050A22A	77LB8050A22A
	Low	18x7.0	Front	-8	3.70	71LB8070A37A	71LP8070A37A	75LB8070A37A	76LB8070A37A	77LB8070A37A
	Low	18x8.0	Frnt/Rear	5	4.70	71LB8080A47A	71LP8080A47A	75LB8080A47A	76LB8080A47A	77LB8080A47A
	Low	18x9.0	Rear Only	-8	4.70	71LB8090A47A	71LP8090A47A	75LB8090A47A	76LB8090A47A	77LB8090A47A
	Low	18x10.0	Rear Only	5	5.70	71LB8100A57A	71LP8100A57A	75LB8100A57A	76LB8100A57A	77LB8100A57A

20"	Low	20x9.5	Rear Only	-6	5.00	71LB0095A50A	71LP0095A50A	75LB0095A50A	76LB0095A50A	77LB0095A50A
	Low	20x10.0	Rear Only	0	5.50	71LB0100A55A	71LP0100A55A	75LB0100A55A	76LB0100A55A	77LB0100A55A

Dodge Challenger (E Body)

1970-1974 5x4.5" (A) 1/2" Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

Wheel Diameter	Pad Height	Size	Vehicle Location	Off-set	Back Space	S71 Black Center Part Number	S71 All Polished Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LB-504A16A	71LP-504A16A	75LB-504A16A	76LB-504A16A	77LB-504A16A
	Low	15x5.33	Front	-16	2.50	71LB-505A25A	71LP-505A25A	75LB-505A25A	76LB-505A25A	77LB-505A25A
	Low	15x6.33	Front	-3	3.50	71LB-506A35A	71LP-506A35A	75LB-506A35A	76LB-506A35A	77LB-506A35A
	Low	15x7.33	Front	-16	3.50	71LB-507A35A	71LP-507A35A	75LB-507A35A	76LB-507A35A	77LB-507A35A
	Low	15x8.33	Frnt/Rear	-3	4.50	71LB-508A45A	71LP-508A45A	75LB-508A45A	76LB-508A45A	77LB-508A45A
	Low	15x9.33	Rear Only	-16	4.50	71LB-509A45A	71LP-509A45A	75LB-509A45A	76LB-509A45A	77LB-509A45A
	Low	15x10.33	Rear Only	-3	5.50	71LB-510A55A	71LP-510A55A	75LB-510A55A	76LB-510A55A	77LB-510A55A
17"	Low	17x4.5	Front	-27	1.70	71LB7045A17A	71LP7045A17A	75LB7045A17A	76LB7045A17A	77LB7045A17A
	Low	17x7.0	Front	-28	2.90	71LB7070A30A	71LP7070A30A	75LB7070A30A	76LB7070A30A	77LB7070A30A
	Low	17x8.0	Frnt/Rear	-3	4.40	71LB7080A45A	71LP7080A45A	75LB7080A45A	76LB7080A45A	77LB7080A45A
	Low	17x9.0	Rear Only	-3	4.90	71LB7090A50A	71LP7090A50A	75LB7090A50A	76LB7090A50A	77LB7090A50A
	Low	17x10.0	Rear Only	10	5.90	71LB7100A60A	71LP7100A60A	75LB7100A60A	76LB7100A60A	77LB7100A60A
18"	Low	18x5.0	Front	-20	2.20	71LB8050A22A	71LP8050A22A	75LB8050A22A	76LB8050A22A	77LB8050A22A
	Low	18x7.0	Front	-8	3.70	71LB8070A37A	71LP8070A37A	75LB8070A37A	76LB8070A37A	77LB8070A37A
	Low	18x8.0	Frnt/Rear	5	4.70	71LB8080A47A	71LP8080A47A	75LB8080A47A	76LB8080A47A	77LB8080A47A
	Low	18x9.0	Rear Only	-8	4.70	71LB8090A47A	71LP8090A47A	75LB8090A47A	76LB8090A47A	77LB8090A47A
	Low	18x10.0	Rear Only	5	5.70	71LB8100A57A	71LP8100A57A	75LB8100A57A	76LB8100A57A	77LB8100A57A
20"	Low	20x9.5	Rear Only	-6	5.00	71LB0095A50A	71LP0095A50A	75LB0095A50A	76LB0095A50A	77LB0095A50A
	Low	20x10.0	Rear Only	0	5.50	71LB0100A55A	71LP0100A55A	75LB0100A55A	76LB0100A55A	77LB0100A55A

CHRYSLER

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted.

Other sizes and offsets are available, please call the Sales and Tech Department for more information at 800-788-9353

300 & 300C RWD only

First Gen: 2005-2010. Second Gen: 2011-Present

5x115mm (W) 14mmX1.5 Lugs. Conical Lugs req'd 17"/18"/20"

Wheel Diameter	Pad Height	Size	Vehicle Location	Off-set	Back Space	S71 Black Center Part Number	S71 All Polished Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
17"	Medium	17x5.0	Front	8	3.30	71MB7050W33A	71MP7050W33A	75MB7050W33A	76MB7050W33A	77MB7050W33A
	Medium	17x7.0	Front	8	4.30	71MB7070W43A	71MP7070W43A	75MB7070W43A	76MB7070W43A	77MB7070W43A
	Medium	17x8.0	Frnt/Rear	20	5.30	71MB7080W53A	71MP7080W53A	75MB7080W53A	76MB7080W53A	77MB7080W53A
	Medium	17x9.0	Frnt/Rear	33	6.30	71MB-7090W63A^^	71MP-7090W63A^^	75MB-7090W63A^^	76MB-7090W63A^^	77MB-7090W63A^^
	Medium	17x10.0	Rear Only	33	6.80	71MB7100W68A	71MP7100W68A	75MB7100W68A	76MB7100W68A	77MB7100W68A

^^Requires 6mm spacer

18"	Medium	18x5.0	Front	-20	2.20	71MB8050W22A	71MP8050W22A	75MB8050W22A	76MB8050W22A	77MB8050W22A
	Medium	18x7.0	Front	5	4.20	71MB8070W42A	71MP8070W42A	75MB8070W42A	76MB8070W42A	77MB8070W42A
	Medium	18x8.0	Frnt/Rear	18	5.20	71MB8080W52A	71MP8080W52A	75MB8080W52A	76MB8080W52A	77MB8080W52A
	Medium	18x9.0	Frnt/Rear	30	6.20	71MB-8090W62A^^	71MP-8090W62A^^	75MB-8090W62A^^	76MB-8090W62A^^	77MB-8090W62A^^
	Medium	18x10.0	Rear Only	30	6.70	71MB8100W67A	71MP8100W67A	75MB8100W67A	76MB8100W67A	77MB8100W67A

^^Requires 6mm spacer

20"	Medium	20X7.0	Front	10	4.40	71MB0070W44A	71MP0070W44A	75MB0070W44A	76MB0070W44A	77MB0070W44A
	Medium	20X8.0	Frnt/Rear	23	5.40	71MB0080W54A	71MP0080W54A	75MB0080W54A	76MB0080W54A	77MB0080W54A
	Medium	20x9.0	Frnt/Rear	36	6.40	71MB0090W64A	71MP0090W64A	75MB0090W64A	76MB0090W64A	77MB0090W64A
	Medium	20x10.0	Rear Only	36	6.90	71MB0100W69A	71MP0100W69A	75MB0100W69A	76MB0100W69A	77MB0100W69A

300 SRT8

same as 2005+ Charger SRT8 & Magnum SRT8

5x115mm (W) 14mmX1.5 Lugs

Wheel Diameter	Pad Height	Size	Vehicle Location	Off-set	Back Space	S71 Black Center Part Number	S71 All Polished Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
17"	High	17x5.0	Front	-20	2.20	71HB7050W22A	71HP7050W22A	75HB7050W22A	76HB7050W22A	77HB7050W22A
	High	17x7.0	Front	5	4.20	71HB7070W42A	71HP7070W42A	75HB7070W42A	76HB7070W42A	77HB7070W42A
	High	17x8.0	Frnt/Rear	18	5.20	71HB7080W52A	71HP7080W52A	75HB7080W52A	76HB7080W52A	77HB7080W52A
	High	17x9.0	Frnt/Rear	30	6.20	71HB7090W62A^^	71HP-7090W62A^^	75HB7090W62A^^	76HB7090W62A^^	77HB7090W62A^^
	High	17x10.0	Rear Only	30	6.70	71HB7100W67A*	71HP7100W67A*	75HB7100W67A*	76HB7100W67A*	77HB7100W67A*

^^Requires 6mm spacer; *Install wheel at ride height to clear sway bar during installation.

18"	High	18X5.0	Front	-23	2.10	71HB8050W21A	71HP8050W21A	75HB8050W21A	76HB8050W21A	77HB8050W21A
	High	18X7.0	Front	3	4.10	71HB8070W41A	71HP8070W41A	75HB8070W41A	76HB8070W41A	77HB8070W41A
	High	18X8.0	Frt/Rear	15	5.10	71HB8080W51A	71HP8080W51A	75HB8080W51A	76HB8080W51A	77HB8080W51A
	High	18x9.0	Frt/Rear	28	6.10	71HB8090W61A^^	71HP-8090W61A^^	75HB8090W61A^^	76HB8090W61A^^	77HB8090W61A^^
	High	18X10.0	Rear Only	28	6.60	71HB8100W66A	71HP8100W66A	75HB8100W66A	76HB8100W66A	77HB8100W66A

^^Requires 6mm spacer

20"	High	20x7.0	Front	5	4.20	71HB0070W42A	71HP0070W42A	75HB0070W42A	76HB0070W42A	77HB0070W42A
	High	20x8.0	Frt/Rear	18	5.20	71HB0080W52A	71HP0080W52A	75HB0080W52A	76HB0080W52A	77HB0080W52A
	High	20x9.0	Frt/Rear	30	6.20	71HB0090W62A	71HP0090W62A	75HB0090W62A	76HB0090W62A	77HB0090W62A
	High	20x10.0	Rear Only	30	6.70	71HB0100W67A	71HP0100W67A	75HB0100W67A	76HB0100W67A	77HB0100W67A

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted.

Other sizes and offsets are available, please call the Sales and Tech Department for more information at 800-788-9353